



ELEGANT LIVING

Luxury Vinyl Planks



Vinylböden
Luxury Vinyl Planks & Tiles



Alle Katalogfotos sind Farbbeispiele, die von den Originalböden abweichen können.

All catalogue photos are only colour examples and can differ from the original floorings.

	Spice			Planet	Dance		Urban	
	LSC	LSL	WSL	WPL	LDC	LDL	LUC	LUL
		•	•	•		•		•
	•				•		•	
	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•
Integrierter Trittschall Integrated impact sound insulation				•				
Trittschalldämmend Impact sound insulation  Soundproof	•	•	•		•	•	•	•
Wasserresistent water resistant 	•	•	•	•	•	•	•	•
Brandschutzklasse Bfl-S1 Fire classification Bfl-S1 	•	•	•	•	•	•	•	•
 AC 5					•	•	•	•
 AC 3	•	•	•	•				
Warmwasserfußbodenheizung Warm water underfloor heating system 	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•
Dielengröße / Plank size: 2.0 / 0.3 x 190 x 1227mm	•							
Dielengröße / Plank size: 2.0 / 0.3 x 152.4 x 1219.2mm	•							
Dielengröße / Plank size: 4.0 / 0.3 x 146x 1210mm		•						
Dielengröße / Plank size: 4.0 / 0.3 x 183x 1220mm		•						
Dielengröße / Plank size: 5.5 / 0.3 x 146 x 1220mm			•					
Dielengröße / Plank size: 5.0 / 0.3 x 117,4 x 1220mm			•					
Dielengröße / Plank size: 8.0 / 0.3 x 225 x 1500mm				•				
Dielengröße / Plank size: 2.5 / 0.5 x 152.4 x 1219.2mm					•			
Dielengröße / Plank size: 2.5 / 0.5 x 190x 1227mm					•			
Dielengröße / Plank size: 5.0 / 0.55 x 146 x 1210mm						•		
Dielengröße / Plank size: 5.0 / 0.55 x 183 x 1220mm						•		
Dielengröße / Plank size: 2.5 / 0.55 x 304.8 x 609.8mm							•	
Dielengröße / Plank size: 5.0 / 0.55 x 310 x 603mm								•

04 Spice Classic Collection Spice Collection



Spice Classic Collection (LSC) Spice Collection (LSL / WSL)

Vinyldielen aus 100% PVC in Holzoptik

Dielengröße:

LSC: 2.0 / 0.3 x 190 x 1227mm
2.0 / 0.3 x 152.4 x 1219.2mm

LSL: 4.0 / 0.3 x 146 x 1210mm
4.0 / 0.3 x 183 x 1220mm

WSL: 5.5 / 0.3 x 146 x 1220mm
5.5 / 0.3 x 177.4 x 1220mm



Välinge, Schweden



Välinge, Schweden

Umlaufend gefast



Verlegearten:

LSC: Verklebt



LSL: Schwimmend



WSL: Schwimmend

Alle EL Loc Dielen sollten ohne Unterlage verlegt werden.
Bei Einsatz einer Unterlage muss diese vom Hersteller für LVT Böden freigegeben worden sein.

Die Vinylböden können auf Warmwasser-
fußbodenheizung verlegt werden.



Abriebklasse:

31/23, AC3



Produkteigenschaften:

Anti-slip



Wasserresistent



Trittschalldämmend



Soundproof

Brandschutzklasse Bfl-S1




Alle Vinylböden von Elegant Living sind bauaufsichtlich zugelassen.

Weitere Produkteigenschaften:

- 100% reines PVC,
umweltfreundlich und recycelbar
- Porenstrukturdruk
- Die 2.0/0.3 + 4.0/0.3mm Dielen
sind für eine bessere Formstabilität
glasfaserverstärkt.



Aufbau WSL Diele
Structure WSL Plank
5.5/0.3mm



Spice Classic Collection (LSC) Spice Collection (LSL / WSL)

Vinyl planks from 100% PVC in wood-look

Plank size:

LSC: 2.0 / 0.3 x 190 x 1227mm
2.0 / 0.3 x 152.4 x 1219.2mm

LSL: 4.0 / 0.3 x 146 x 1210mm
4.0 / 0.3 x 183 x 1220mm

WSL: 5.5 / 0.3 x 146 x 1220mm
5.5 / 0.3 x 177.4 x 1220mm



Välinge, Sweden



Välinge, Sweden

Bevelled edges on four sides



Installation possibilities:

LSC: Glue down



LSL: Floating



WSL: Floating

EL Loc planks can be installed without underlayment.
If you want to use underlayment make sure that the product
is suitable for LVT flooring.

The luxury vinyl tiles are suitable for
warm water underfloor heating system.



Abrasion class:

31/23, AC3



Product features:

Anti-slip



Water resistant



Impact sound insulation



Soundproof

Fire classification Bfl-S1




The Luxury Vinyl Tiles collection from Elegant Living is free from
VOC and other hazardous substances and environmentally friendly.

More product features:

- 100% pure PVC,
sustainable and recycable
- Embossed
- The 2.0/0.3 and 4.0/0.3mm planks
are reinforced with fiber glass for a
better structural stability



Aufbau LSC + LSL Diele
Structure LSC + LSL Plank
2.0/0.3 + 4.0/0.3mm



06 Spice Classic Collection Spice Collection





Dekor / Print 0014

80400 LSC 2.0 / 0.3 x 190 x 1227mm

80047 LSL 4.0 / 0.3 x 183 x 1220mm

80309 WSL 5.5 / 0.3 x 177.4 x 1220mm

08 Spice Classic Collection Spice Collection





Dekor / Print 0021

80401 LSC	2.0 / 0.3 x 152.4 x 1219.2mm
80040 LSL	4.0 / 0.3 x 146 x 1210mm
80300 WSL	5.5 / 0.3 x 146 x 1220mm

10

Spice Classic Collection
Spice Collection





Dekor / Print 0011

80402 LSC	2.0 / 0.3 x 190 x 1227mm
80048 LSL	4.0 / 0.3 x 183 x 1220mm
80301 WSL	5.5 / 0.3 x 177.4 x 1220mm

12 Spice Classic Collection Spice Collection





Dekor / Print 0020

80403 LSC 2.0 / 0.3 x 152.4 x 1219.2mm

80059 LSL 4.0 / 0.3 x 146 x 1210mm

80302 WSL 5.5 / 0.3 x 146 x 1220mm

14

Spice Classic Collection
Spice Collection





Dekor / Print 0022

80404 LSC 2.0 / 0.3 x 152.4 x 1219.2mm

80060 LSL 4.0 / 0.3 x 146 x 1210mm

80303 WSL 5.5 / 0.3 x 146 x 1220mm

16

Spice Classic Collection
Spice Collection





Dekor / Print 0012

80406 LSC 2.0 / 0.3 x 190 x 1227mm

80061 LSL 4.0 / 0.3 x 183 x 1220mm

80305 WSL 5.5 / 0.3 x 177.4 x 1220mm

18 Spice Classic Collection Spice Collection





Dekor / Print 0013

80407 LSC	2.0 / 0.3 x 190 x 1227mm
80054 LSL	4.0 / 0.3 x 183 x 1220mm
80307 WSL	5.5 / 0.3 x 177.4 x 1220mm

20 Spice Classic Collection Spice Collection



Dekor / Print 0016

80408 LSC 2.0 / 0.3 x 152.4 x 1219.2mm

80055 LSL 4.0 / 0.3 x 146 x 1210mm

80306 WSL 5.5 / 0.3 x 146 x 1220mm

22

Spice Classic Collection
Spice Collection





Dekor / Print 0017

80409 LSC 2.0 / 0.3 x 152.4 x 1219.2mm

80056 LSL 4.0 / 0.3 x 146 x 1210mm

80308 WSL 5.5 / 0.3 x 146 x 1220mm

24

Spice Classic Collection
Spice Collection





Dekor / Print 0015

80411 LSC 2.0 / 0.3 x 152.4 x 1219.2mm

80049 LSL 4.0 / 0.3 x 146 x 1210mm

80310 WSL 5.5 / 0.3 x 146 x 1220mm





Dekor / Print 0018
80057 LSL 4.0 / 0.3 x 146 x 1210mm

28 Spice Classic Collection Spice Collection





Dekor / Print 0019
80058 LSL 4.0 / 0.3 x 146 x 1210mm


30 Planet Collection



Planet Collection (WPL)

Vinylböden aus 100% PVC in Holzoptik

Dielenlänge: 8.0/ 0.3 x 225 x 1500mm



Umlaufend gefast



Verlegearten:

Schwimmend



Alle EL Loc Dielen sollten ohne Unterlage verlegt werden.
Bei Einsatz einer Unterlage muss diese vom Hersteller für LVT Böden freigegeben worden sein.

Die Vinylböden können auf Warmwasser-
fußbodenheizung verlegt werden.



Abriebklasse:

31/23, AC3



Produkteigenschaften:

Anti-slip



Wasserresistent



Integrierter Trittschall

Starke Trittschalldämmung



Brandschutzklasse Bfl-S1



Alle Vinylböden von Elegant Living sind bauaufsichtlich zugelassen.

Weitere Produkteigenschaften:

- 100% reines PVC,
umweltfreundlich und recycelbar
- Porenstrukturdruck
- Integrierter Trittschall



Planet Collection (WPL)

Vinyl planks from 100% PVC in wood-look

Plank size: 8.0/ 0.3 x 225 x 1500mm



Bevelled edges on four sides



Installation possibilities:

Floating



EL Loc planks can be installed without underlayment.
If you want to use underlayment make sure that the product
is suitable for LVT flooring.

The luxury vinyl tiles are suitable for
warm water underfloor heating system.



Abrasion class:

31/23, AC3



Product features:

Anti-slip



Water resistant



Integrated impact sound insulation

Very good impact sound insulation




Fire classification Bfl-S1



The Luxury Vinyl Tiles collection from Elegant Living is free from
VOC and other hazardous substances and environmentally friendly.

More product features:

- 100% pure PVC,
sustainable and recyclable
- Embossed
- Integrated impact sound insulation







Dekor / Print 0013

80200 WPL 8.0 / 0.3 x 225 x 1500mm





Dekor / Print 0017
80201 WPL 8.0 / 0.3 x 225 x 1500mm





Dekor / Print 0004
80202 WPL 8.0 / 0.3 x 225 x 1500mm

38 Dance Classic Collection Dance Collection



Dance Classic Collection (LDC) Dance Collection (LDL)

Vinyldielen aus 100% PVC in Holzoptik

Dielengröße:

LDC: 2.5 / 0.5 x 152.4 x 1219.2mm
2.5 / 0.5 x 190 x 1227mm

LDL: 5.0 / 0.55 x 146 x 1210mm
5.0 / 0.55 x 183 x 1210mm



Välinge, Schweden

Umlaufend gefast



Verlegearten:

LDC: Verklebt



LDL: Schwimmend



Alle EL Loc Dielen sollten ohne Unterlage verlegt werden.
Bei Einsatz einer Unterlage muss diese vom Hersteller für
LVT Böden freigegeben worden sein.

Die Vinylböden können auf Warmwasser-
fußbodenheizung verlegt werden.



Abriebklasse:

33/42, AC5



Produkteigenschaften:

Anti-slip



Wasserresistent



Trittschalldämmend



Soundproof

Brandschutzklasse Bfl-S1



Alle Vinylböden von Elegant Living sind bauaufsichtlich zugelassen.

Weitere Produkteigenschaften:

- 100% reines PVC,
umweltfreundlich und recycelbar
- Porenstrukturdruck
- Glasfaserverstärkt für eine
bessere Formstabilität



Dance Classic Collection (LDC) Dance Collection (LDL)

Vinyl planks from 100% PVC in wood-look

Plank size:

LDC: 2.5 / 0.5 x 152.4 x 1219.2mm
2.5 / 0.5 x 190 x 1227mm

LDL: 5.0 / 0.55 x 146 x 1210mm
5.0 / 0.55 x 183 x 1210mm



Välinge, Sweden

Bevelled edges on four sides



Installation possibilities:

LDC: Glue down



LDL: Floating



EL Loc planks can be installed without underlayment.
If you want to use underlayment make sure that the product
is suitable for LVT flooring.

The luxury vinyl tiles are suitable for
warm water underfloor heating system.



Abrasion class:

33/42, AC5



Product features:

Anti-slip



Water resistant



Impact sound insulation



Soundproof


Fire classification Bfl-S1



The Luxury Vinyl Tiles collection from Elegant Living is free from
VOC and other hazardous substances and environmentally friendly.

More product features:

- 100% pure PVC,
sustainable and recycable
- Embossed
- Reinforced with fiber glass
for a better structural stability



40 Dance Classic Collection Dance Collection





Dekor / Print 0007

80050 LDC 2.5 / 0.55 x 152.4 x 1219.2mm

80007 LDL 5.0 / 0.55 x 146 x 1210mm

42 Dance Classic Collection

Dance Collection





Dekor / Print 0003

80051 LDC 2.5 / 0.55 x 152.4 x 1219.2mm

80003 LDL 5.0 / 0.55 x 146 x 1210mm

44 Dance Classic Collection

Dance Collection





Dekor / Print 0002

80052 LDC 2.5 / 0.55 x 152.4 x 1219.2mm

80002 LDL 5.0 / 0.55 x 146 x 1210mm

46 Dance Classic Collection

Dance Collection





Dekor / Print 0023

80500 LDC 2.5 / 0.55 x 190 x 1227mm

80100 LDL 5.0 / 0.55 x 183 x 1220mm



50 Dance Classic Collection

Dance Collection





Dekor / Print 0009

80503 LDC 2.5 / 0.55 x 190 x 1227mm

80103 LDL 5.0 / 0.55 x 183 x 1220mm

52 Dance Classic Collection

Dance Collection





Dekor / Print 0010

80504 LDC 2.5 / 0.55 x 190 x 1227mm

80104 LDL 5.0 / 0.55 x 183 x 1220mm

54 Dance Classic Collection

Dance Collection



The image displays a close-up, vertical view of a wood-grain laminate flooring. The pattern consists of numerous vertical planks of varying widths, each with a detailed, wavy wood grain texture. The color palette is a range of natural wood tones, from light beige and cream to deep, dark browns and near-black hues, creating a realistic and organic appearance. The lighting is even, highlighting the subtle variations in the grain and the slight undulations of the surface.

Dekor / Print 0006

80507 LDC 2.5 / 0.55 x 190 x 1227mm

80110 LDL 5.0 / 0.55 x 183 x 1220mm



56

Dance Classic Collection
Dance Collection

The image displays a close-up of a wood-grain laminate flooring. The pattern consists of vertical planks with a realistic wood texture, including various grain directions, knots, and color variations ranging from light beige to medium brown. The planks are arranged in a staggered fashion, typical of laminate flooring installation.

Dekor / Print 0005

80508 LDC 2.5 / 0.55 x 190 x 1227mm

80111 LDL 5.0 / 0.55 x 183 x 1220mm

58 Dance Classic Collection

Dance Collection





Dekor / Print 0004

80509 LDC 2.5 / 0.55 x 190 x 1227mm

80112 LDL 5.0 / 0.55 x 183 x 1220mm

60 Dance Classic Collection Dance Collection





Dekor / Print 0001

80510LDC 2.5 / 0.55 x 190 x 1227mm

80108 LDL 5.0 / 0.55 x 183 x 1220mm

62 Urban Classic Collection Urban Collection



Urban Classic Collection (LUC) Urban Collection (LUL)

Vinyldielen aus 100% PVC in Fliesenoptik

Dielengröße:

LUC: 5.0 / 0.55 x 310 x 603mm

LUL: 2.5 / 0.55 x 304.8 x 609.8mm



Välinge, Schweden

Umlaufend gefast



Verlegearten:

LUC: Verklebt



LUL: Schwimmend



Alle EL Loc Dielen können ohne Unterlage verlegt werden!

Die Vinylböden können auf Fußbodenheizungen verlegt werden.



Abriebklasse:

33/42, AC5



Produkteigenschaften:

Anti-slip



Wasserresistent



Trittschalldämmend



Soundproof

Brandschutzklasse Bfl-S1



Alle Vinylböden von Elegant Living sind bauaufsichtlich zugelassen.

Weitere Produkteigenschaften:

- 100% reines PVC, umweltfreundlich und recycelbar
- Porenstrukturdruck
- Glasfaserverstärkt für eine bessere Formstabilität



Urban Classic Collection (LUC) Urban Collection (LUL)

Vinyl tiles from 100% PVC with stone print

Planc size:

LUC: 5.0 / 0.55 x 310 x 603mm

LUL: 2.5 / 0.55 x 304.8 x 609.8mm



Välinge, Sweden

Bevelled edges on four sides



Installation possibilities:

LUC: Glue down



LUL: Floating



Underlayment is not needed for all EL Loc planks!

The luxury vinyl tiles are suitable for underfloor heating.



Abrasion class:

33/42, AC5



Product features:

Anti-slip



Water resistant



Impact sound insulation



Soundproof


Fire classification Bfl-S1



The Luxury Vinyl Tiles collection from Elegant Living is free from VOC and other hazardous substances and environmentally friendly.

More product features:

- 100% pure PVC, sustainable and recycable
- Embossed
- Reinforced with fiber glass for a better structural stability



64 Urban Classic Collection Urban Collection





Dekor / Print 0030

80030 LUL 5.0 / 0.55 x 310 x 603mm

800630 LUC 2.5 / 0.55 x 304.8 x 609.8mm









70 Urban Classic Collection Urban Collection






Dekor / Print 0033



80033 LUL 5.0 / 0.55 x 310 x 603mm

Händleradresse / contact



ELEGANT LIVING

Luxury Vinyl Planks



Alle Katalogfotos sind Farbbeispiele, die von den Originalböden abweichen können.
All catalogue photos are only colour examples and can differ from the original floorings.



PlyQuet Holzimport GmbH • Tel.: +49 (0) 421 / 34 888-0 • E-Mail: info@plyquet.de
PlyQuet of America Inc. • Sales: +1 949 500 6920 • E-Mail: info@tekafloors.com
www.plyquet.com

