TEKA

Preciously unique in every piece

PlyQuet Group

TEKA Parkett Gesamtsortiment

TEKA Parquet Complete Assortment

INHALT

TABLE OF CONTENTS

TEKA Parkett

Landhausdielen

Deck Soft Loc 06
Antique Soft Loc 44
Easy Soft Loc 56

Zweistabböden

Twin Soft Loc..... 68

Fine Line Böden

Line Soft Loc..... 80

Fischgrät und Ungarischer Verband

Herringbone 74
Chevron 88

Breite Landhausdielen

Royal..... 94
Landscape..... 104
Trinity 120

Wandpaneelen.....126

Alle Katalogfotos sind Farb- und Sortierungsbeispiele, die von den Originalböden abweichen können.

TEKA Parquet

Plank Flooring

Deck Soft Loc 06
Antique Soft Loc 44
Easy Soft Loc 56

Two strip flooring

Twin Soft Loc 68

Fine Line Flooring

Line Soft Loc..... 80

Fishbone and Hungarian Point

Herringbone..... 74
Chevron 88

Wide Plank Flooring

Royal..... 94
Landscape..... 104
Trinity 120

Wall Pannels 126

All catalogue photos are only colour and wood grading examples and can differ from the original floorings.

Trinity
REAL WOOD
www.realwood.eu
Eiche
Oak

TEKA Deutsche Lager Kollektion

Das umfangreiche TEKA Parkett Sortiment, mit Schwerpunkt auf Landhausdielen in verschiedenen Breiten, Längen und Oberflächenausführungen, macht es Ihnen einfach den perfekten Boden für Ihre Wohnbedürfnisse zu finden.

European stock collection

It is perfectly easy to find the right flooring for all your living demands with the extensive TEKA Parquet assortment focused on one strip flooring in different widhts, lengths and surface finishes.







TEKA
Preciously unique in every piece

Deck Soft Loc

13235 Eiche Bandol
Oak Bandol

Landhausdielen

– große Auswahl, vielseitig einsetzbar!

Landhausdiele – Die Nutzschicht ist durchgehend aus Holz
Dreischichtiges Fertigparkett mit 3,4mm nominaler Nutzschicht

Deck & Antique Soft Loc
14x155x2200/1800mm,
längsseitig gefast oder umlaufend bei Antique*

Deck Soft Loc, Weinkollektion
14x180x2200/1800mm, umlaufend gefast

Soft Loc Verbindung, G5

Välinge, Schweden

Verlegearten:
Schwimmend

Verklebt mit dem Unterboden

Fußbodenheizung geeignet

Oberflächen:

Geölt: UV gehärtet oxidativ

Masteröl

Roh: unbehandelt

Lackiert: extrem matt

Geräuchert: Durchgängig geräucherte oder leicht geräucherte, mittel- bis dunkelbraune Deckschicht mit hellerem Splintholz

Wärme-behandelt: Leicht oder stark wärmebehandelte, hell- bis mittelbraune Deckschicht mit hellerem Splintholz.

Gebürstet: Für mehr Tiefenwirkung

Antique:* Handgehobelte Oberfläche mit individuellen und natürlich wirkenden Alterungsspuren

Gekälkt: Holzstruktur wird in weiß hervorgehoben

Sandgestrahlt: Hebt die Struktur des Holzes wirkungsvoll hervor

Sortierungen:

Active: Lebhaft - Größere Farbvarianzen, Splintholz und Äste, mit Holzkitt repariert, sind erlaubt

Country: Lebhaft - Farbvarianzen, Splintholz, große Äste und Risse, mit schwarzem Holzkitt repariert, sind erlaubt

Alle Landhausdielen von TEKA Parkett sind bauaufsichtlich zugelassen.

TEKA
Preciously unique in every piece

Plank Flooring

– big variety, suitable for many applications!

Plank flooring - the top layer consists of one piece of wood
Three-layer construction, top layer 3,4mm nominal

Deck & Antique Soft Loc
14x155x2200/1800mm, bevelled edges on the long or on all four sides (Antique*)

Deck Soft Loc, Wine Collection
14x180x2200/1800mm, bevelled edges on all four sides

Soft Loc system, G5

Välinge, Sweden

Installation possibilities:
Floating

Glue down

Suitable for underfloor heating

Top layer finishes:

Oiled: UV hardened oxidative

Masteroil

Raw: untreated

Lacquered: extremely matt

Fumed: top layer fumed or slightly fumed through and through, changing from medium to dark brown with lighter sapwood

Thermo treated: top layer slightly or heavily thermo treated, changing from light brown to dark brown with lighter sapwood

Brushed: for more depth effect

Antique:* manually distressed top layer with individual and natural looking signs of age

White washed: white accentuates the wood structure

Sandblasted: accentuates the wood structure effectively

Wood grading:

Active: lively - sapwood and knots, also repaired with wood putty filler, are allowed

Country: lively - sapwood, knots and cracks, also repaired with black wood putty filler, are allowed

The plank flooring collection from TEKA Parquet is free from VOC and other hazardous substances and environmentally friendly.

Weitere Produkteigenschaften:

- Brandschutzklasse Cfl-s1
- verzugsarm
- passt zu vielen Einrichtungsstilen
- vielseitig einsetzbar
- große Auswahl an Oberflächen-veredelungen und Dielengrößen

*Antique Soft Loc

Deck Soft Loc

Deck Soft Loc



More product features:

- fire rating Cfl-s1
- low warpage
- versatile applications
- fits to nearly every style
- big variety of top layer finishes and plank sizes

08 Weinkollektion
Wine Collection

TEKA

Preciously unique in every piece

Eiche Chablis
Oak Chablis

13435 14 x 180 x 2200 mm
13436 14 x 180 x 1800 mm

4

max. 28°C

A ACTIVE

TEKA

Preciously unique in every piece

Eiche Rivaner
Oak Rivaner

13231 14 x 180 x 2200 mm
13232 14 x 180 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Prosecco
Oak Prosecco

13294 14 x 180 x 2200 mm
13295 14 x 180 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Barolo
Oak Barolo

13296 14 x 180 x 2200 mm
13297 14 x 180 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Sherry
Oak Sherry

13328 14 x 180 x 2200 mm
13329 14 x 180 x 1800 mm

TEKA
Preciously unique in every piece

Eiche Chardonnay
Oak Chardonnay

13233 14 x 180 x 2200 mm
13234 14 x 180 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Primitivo
Oak Primitivo

13485 14 x 180 x 2200 mm
13484 14 x 180 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Bandol
Oak Bandol

13235 14 x 180 x 2200 mm
13235 14 x 180 x 1800 mm

TEKA

Eiche Pomerol
Oak Pomerol

13237 14 x 180 x 2200 mm
13238 14 x 180 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Vermentino
Oak Vermentino

13353 14 x 180 x 2200 mm
13354 14 x 180 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Syrah
Oak Syrah

13400 14 x 180 x 2200 mm
13401 14 x 180 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Garnacha
Oak Garnacha

13425 14 x 180 x 2200 mm
13426 14 x 180 x 1800 mm

TEKA
Preciously unique in every piece

Eiche Bacchus
Oak Bacchus

13450 14 x 180 x 2200 mm
13451 14 x 180 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Shiraz
Oak Shiraz

13402 14 x 180 x 2200 mm
13403 14 x 180 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Riesling
Oak Riesling

13404 14 x 180 x 2200 mm
13405 14 x 180 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Barbera
Oak Barbera

13121 14 x 180 x 2200 mm
13122 14 x 180 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Active
Oak Active

12907 14 x 155 x 2200 mm
12908 14 x 155 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Active, weiß
Oak Active, white

12909 14 x 155 x 2200 mm
12910 14 x 155 x 1800 mm

12923 Eiche Canyon
Oak Canyon

Antique Soft Loc

Alle Antique Soft Loc Dielen wurden in einem aufwendigen Verfahren per Hand gealtert. Dies hat den Vorteil, dass jede Dielenoberfläche danach individuelle und natürlich wirkende Alterungsspuren zeigt, was bei maschinell durchgeführten Alterungsprozessen oft nicht erreicht werden kann.TEKA Antique Dielen wirken hingegen immer authentisch.

All Antique Soft Loc planks have been manually distressed in an elaborate process to add more character on to the wooden floor. Afterwards, individual and natural looking signs of age are visible on every plank, an advantage to most planks which had been aged and distressed only mechanically. TEKA Antique planks always have an authentic look.

TEKA

Preciously unique in every piece

Eiche Canyon
Oak Canyon

12923 14 x 155 x 2200 mm
12924 14 x 155 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Ivory
Oak Ivory

12927 14 x 155 x 2200 mm
12928 14 x 155 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Ebony
Oak Ebony

12933 14 x 155 x 2200 mm
12934 14 x 155 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Costa
Oak Costa
12930 14 x 155 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Alaska
Oak Alaska

13448 14 x 155 x 2200 mm
13449 14 x 155 x 1800 mm

Easy Soft Loc

12899 Eiche active
Oak active

Kleine Landhausdielen

– ideal für kleine Räume!

Landhausdiele – Die Nutzschicht ist durchgehend aus Holz

Dreischichtiges Fertigparkett mit 3,4mm nominaler Nutzschicht

Easy Soft Loc
14x127x1085mm, längsseitig gefast

Soft Loc Verbindung, G5

Välinge, Schweden

Verlegearten:

Schwimmend

Verklebt mit dem Unterboden

Fußbodenheizung geeignet

Oberflächen:

Geölt: UV gehärtet

Smoked: Durchgängig geräucherte Deckschicht mit hellerem Splintholz

Golden: Wärmebehandelte, mittel- bis dunkelbraune Deckschicht mit hellerem Splintholz

Gebürstet: Für mehr Tiefenwirkung

Sortierungen:

Active: Lebhaft - größere Farbvarianzen, Splintholz und Äste, mit Holzkitt repariert, sind erlaubt

Alle Landhausdielen von TEKA Parkett sind bauaufsichtlich zugelassen.

Short Plank Flooring

– ideal for small rooms!

Plank flooring – the top layer consists of one piece of wood

Three-layer construction, top layer 3,4mm nominal

Easy Soft Loc
14x127x1085mm, bevelled edges on the long sides

Soft Loc system, G5

Välinge, Sweden

Installation possibilities:

Floating

Glue down

Suitable for underfloor heating

Top layer finishes:

Oiled: UV hardened

Smoked: top layer fumed through and through with lighter sapwood

Golden: thermo treated, medium to dark brown top layer with lighter sapwood

Brushed: for more depth effect

Wood grading:

Active: lively - sapwood and knots, repaired with wood putty filler, are allowed

The plank flooring collection from TEKA Parquet is free from VOC and other hazardous substances and environmentally friendly.

Weitere Produkteigenschaften:

- Brandschutzklasse Cfl-s1
- verzugsarm
- handliche Größe
- ideal für DIY
- perfekt für kleine oder schmale Räume

Easy Soft Loc



More product features:

- fire rating Cfl-s1
- low warpage
- good manageable size
- perfect for DIY
- perfect for small or narrow rooms

TEKA

Preciously unique in every piece

Eiche, weiß
Oak, white
12900 14 x 127 x 1085 mm

2 A ACTIVE

TEKA

Preciously unique in every piece

Eiche, Active
Oak, Active
12899 14 x 127 x 1085 mm

A ACTIVE

TEKA

Preciously unique in every piece

Eiche, Smoked
Oak, Smoked
12902 14 x 127 x 1085 mm

TEKA

Preciously unique in every piece

Eiche, Golden
Oak, Golden
12901 14 x 127 x 1085 mm

Twin Soft Loc

12474 Twin Soft Loc Eiche, Bali
Twin Soft Loc Oak Bali

2-Stab Böden

– klassisch schön!

Zweistabböden

Die Nutzschicht besteht aus zwei nebeneinander liegenden Stäben unterschiedlicher Längen

Dreischichtiges Fertigparkett mit 3,4mm nominaler Deckschicht

2-Stab: 14x180x2200m

Soft Loc Verbindung, G5 — Välinge, Schweden

Verlegearten:

Schwimmend

Verklebt mit dem Unterboden

Fußbodenheizung geeignet

Oberflächen:

Geölt: Masteröl

Lackiert: extrem matt

Wärme-behandelt: Wärmebehandelte, mittel- bis dunkelbraune Deckschicht mit hellerem Splintholz

Geräuchert: Durchgängig geräucherte oder leicht geräucherte, mittel- bis dunkelbraune Deckschicht mit hellerem Splintholz

Gebürstet: Für mehr Tiefenwirkung

Sortierungen:

Natural : Lebhafter - stärkeres Farbspiel, mehr Splintholz und Äste

Active: Lebhaft - größere Farbvarianzen, Splintholz und Äste, mit Holzkitt repariert, sind erlaubt

Country: Lebhaft - Farbvarianzen, Splintholz, große Äste und Risse, mit schwarzem Holzkitt repariert, sind erlaubt

Alle Schiffsböden sind bauaufsichtlich zugelassen.

2-Strip Flooring

– classic beauty!

2-Strip Flooring

The top layer consists of two parallel laying strips with different lengths

Three-layer construction, top layer 3,4mm nominal

2-Strip Flooring: 14x180x2200mm

Soft Loc system, G5 — Välinge, Sweden

Installation possibilities:

Floating

Glue down

Suitable for underfloor heating

Top layer finishes:

Oiled: Masteroil

Lacquered: extremely matt

Thermo-treated: thermo treated, medium to dark brown top layer with lighter sapwood

Fumed: top layer fumed or slightly fumed through and through, changing from medium to dark brown with lighter sapwood

Brushed: for more depth effect

Wood grading:

Natural: livelier - stronger colour variations, some sapwood and knots

Active: lively - sapwood and knots, repaired with wood putty filler, are allowed

Country: lively - sapwood, knots and cracks, also repaired with black wood putty filler, are allowed

The three strip flooring collection is free from hazardous substances and environmentally friendly.

Weitere Produkteigenschaften:

- Brandschutzklasse Cfl-s1
- verzugsarm
- unaufdringliches, klassisches Design
- passt zu vielen Einrich-tungsstilen

Twin Soft Loc

More product features:

- fire rating Cfl-s1
- low-warping
- fits to nearly every style
- decent , classic design

TEKA

Preciously unique in every piece

Eiche, Bali
Oak, Bali
13474 14 x 180 x 2200 mm

13437 Europ. Eiche
Oak Oak

Fine Line Böden

– Designdielen!

TEKA Line Soft Loc

Fine Line Boden – Die Nutzschicht besteht aus schmalen und nebeneinander liegenden Stäben

Dreischichtiges Fertigparkett mit 3,4mm nominaler Deckschicht

Line Soft Loc: 14x180x2190mm

Soft Loc Verbindung, G5

Välinge, Schweden

Verlegearten:

Schwimmend

Verklebt mit dem Unterboden

Fußbodenheizung geeignet

Oberflächen:

Geölt: UV gehärtet

Lackiert: UV gehärtet

Matt

Smoked: Durchgängig geräucherte Deckschicht mit hellerem Splintholz

Alle Fine Line Böden von TEKA Parkett sind bauaufsichtlich zugelassen.

Fine Line Flooring

– Design planks!

TEKA Line Soft Loc

Fine Line flooring – The top layer consists of small and parallel laying strips

Three-layer construction, top layer 3,4mm nominal

Line Soft Loc: 14x180x2190mm

Soft Loc system, G5

Välinge, Sweden

Installation possibilities:

Floating

Glue down

Suitable for underfloor heating

Top layer finishes:

Oiled: UV hardened

Lacquered: UV hardened

matt

Smoked: top layer fumed through and through with lighter sapwood

The Fine Line flooring collection from TEKA Parquet is free from VOC and other hazardous substances and environmentally friendly.

Weitere Produkteigenschaften:

- Brandschutzklasse Cfl-s1
- verzugsarm
- Die Nutzschicht und die einzelnen Stäbe wurden mit PU Kleber verklebt, daher ist diese sehr stabil.
- Stylisch und sehr modern

Line Soft Loc



More product features:

- fire rating Cfl-s1
- low warpage
- the top layer and the single strips had been glued with PU adhesive and are therefore very stable.
- stylish and very modern

TEKA

Preciously unique in every piece

Europ. Eiche
Europ. Oak
13437 14 x 180 x 2190 mm

NEW

Eiche Pissaro, Rohholzoptik
Oak Pissaro, Raw wood look
13515 15 x 120 x 600 mm, ohne Abbildung

Herringbone

13377 Eiche Maufra
Oak Maufra

Herringbone

– Fischgrätparkett, ein vielseitig einsetzbarer Evergreen

Fischgrätparkett mit loser Feder, zum Kreieren verschiedenster Verlegemuster

Dreischichtiges Fertigparkett mit 3,4mm nominaler Nutzschicht

Abmessung: 14x180x900mm, vierseitig gefast
15x120x600mm, vierseitig gefast

Nut & Federverbindung

Alle Dielen sind umlaufend gefast

Verlegearten:

Verklebt mit dem Unterboden

Fußbodenheizung geeignet

Oberflächen:

Roh: unbehandelt

Geölt: Masteröl

Gebürstet: Für mehr Tiefenwirkung

Sortierungen:

Active: Lebhaft - größere Farbvarianzen, Splintholz und Äste, mit Holzkitt repariert, sind erlaubt

Country: Lebhaft - Farbvarianzen, Splintholz, große Äste und Risse, mit schwarzem Holzkitt repariert, sind erlaub

Brandschutzklasse: Cfl-s1

Herrigbone

– a versatile applicable evergreen

Herringbone flooring with a loose tongue for the creation of different patterns.

Three-layer construction, top layer 3,4mm nominal

Size: 14x180x900mm, bevel on all four sides
15x120x600mm, bevel on all four sides

Tongue & groove construction

Bevelled edges on all four sides of the plank

Installation possibilities:

Glue down

Suitable for underfloor heating

Top layer finishes:

Raw: untreated

Oiled: Masteroil

Brushed: for more depth effect

Wood grading:

Active: lively - sapwood and knots, repaired with wood putty filler, are allowed

Country: lively - sapwood, knots and cracks, also repaired with black wood putty filler, are allowed

fire rating: Cfl-s1

TEKA
Preciously unique in every piece

Eiche Maufra
Oak Maufra
13377 14 x 180 x 900 mm

TEKA

Preciously unique in every piece

Eiche Rodin
Oak Rodin
13476 15 x 120 x 600 mm

TEKA
Preciously unique in every piece

Eiche Monet
Oak Monet
13428 14 x 180 x 900 mm

TEKA

Preciously unique in every piece

Eiche Morisot
Oak Morisot
13440 15 x 120 x 600 mm

TEKA

Preciously unique in every piece

Eiche Degas
Oak Degas
13457 14 x 180 x 900 mm

TEKA
Preciously unique in every piece

Eiche Zola
Oak Zola
13481 15 x 120 x 600 mm

4 max. 28°C A ACTIVE

NEW

Eiche Gaugin, unbehandelt
Oak Gaugin, untreated
12011 14 x 127 x 600 mm, ohne Abbildung

NEW

Eiche Matisse, Masteröl
Oak Matisse, Masteroil
12021 14 x 127 x 600 mm, ohne Abbildung

NEW

Eiche Cézanne, weißes Masteröl
Oak Cézanne, white Masteroil
12022 14 x 127 x 600 mm, ohne Abbildung

13473 Eiche Chagall
Oak Chagall

Chevron Eiche

– ungarischer Verband

Dreischichtiges Fertigparkett mit 3,4mm nominaler Nutzschicht, dreiseitig genutet, lose Feder, 60° Winkel

Abmessung: 14x90x600mm
14x127x600mm

Nut & Federverbindung

Alle Dielen sind umlaufend gefast

Verlegearten:
Verklebt mit dem Unterboden

Fußbodenheizung geeignet

Oberflächen:

Geölt: Masteröl

Roh: unbehandelt

Gebürstet: Für mehr Tiefenwirkung

Sortierungen:

Active: Lebhaft - größere Farbvarianzen, Splintholz und Äste, mit Holzkitt repariert, sind erlaubt

Brandschutzklasse: Cfl-s1

Chevron Oak

– Hungarian pattern

Three layer construction, top layer 3,4mm nominal, groove on three sides, one lose tongue, 60° angle

Size: 14x90x600mm
14x127x600mm

Tongue & groove construction

Bevelled edges on all four sides of the plank

Installation possibilities:
Glue down

Suitable for underfloor heating

Top layer finishes:

Oiled: Masteroil

Raw: untreated

Brushed: for more depth effect

Wood grading:

Active: lively - sapwood and knots, repaired with wood putty filler, are allowed

fire rating: Cfl-s1

TEKA

Preciously unique in every piece

Eiche Chagall
Oak Chagall
13473 14 x 90 x 600 mm

TEKA
Preciously unique in every piece

NEW

Eiche Renoir, Rohholzoptik
Oak Renoir, Raw wood look
13510 14 x 127 x 600 mm

NEW

Eiche Chillon, Rohholzoptik
Oak Chillon, Raw wood look
13513 15 x 250 x 2200 mm, ohne Abbildung
13514 15 x 250 x 1800 mm, ohne Abbildung

NEW

Eiche Hofburg, weißes Masteroil
Oak Hofburg, white Masteroil
13453 15 x 250 x 2200 mm, ohne Abbildung
13454 15 x 250 x 1800 mm, ohne Abbildung

Royal

13359 Eiche Linderhof
Oak Linderhof

Weitere Produkteigenschaften:

- Brandschutzklasse Cfl-s1
- extrem verzugsarm
- robust
- vielseitig einsetzbar
- ideal für stark frequentierte Bereiche

More product features:

- fire rating Cfl-s1
- extremely low warpage
- hard-wearing
- versatile applications
- ideal for heavily frequented areas

Breite Landhausdielen

– für höchste Ansprüche!

Landhausdiele – Die Nutzschicht ist durchgehend aus Holz
Fertigparkett mit zweischichtigem Aufbau
15mm Gesamtstärke
Nutzschicht (3,4mm nominal): Eiche aus PEFC zertifizierten deutschen oder französischen Wäldern,
Trägermaterial: Sperrholz

Royal: 15x250x2200mm
15x250x1800mm

Nut & Federverbindung

Alle Dielen sind umlaufend gefast

Verlegearten:

Verklebt mit dem Unterboden

Verschraubt

Vernagelt

Fußbodenheizung geeignet

Oberflächen:

Roh: unbehandelt

Geölt: Masteroil

Lackiert: extrem matt

Geräuchert: Durchgängig leicht geräucherte, hell- bis mittelbraune Deckschicht mit hellerem Splintholz

Gebürstet: Für mehr Tiefenwirkung

Gekälkt: Holzstruktur wird in weiß hervorgehoben

Sortierungen:

Country: Lebhaft - Farbvarianzen, Splintholz, große Äste und Risse, mit schwarzem Holzkitt repariert, sind erlaubt

Wide Plank Flooring

– for highest demands!

Plank flooring – the top layer consists of one piece of wood
Two layer construction
15mm total thickness
Top layer (3,4mm nominal): oak from PEFC certified German or French forests
Base: plywood

Royal: 15x250x2200mm
15x250x1800mm

Tongue & groove construction

Bevelled edges on all four sides of the plank

Installation possibilities:

Glue down

Screwed

Nailed

Suitable for underfloor heating

Top layer finishes:

Raw: untreated

Oiled: Masteroil

Lacquered: extremely matt

Smoked: top layer slightly fumed with lighter sapwood

Brushed: for more depth effect

White washed: white accentuates the wood structure

Wood grading:

Country: lively - sapwood, knots and cracks, also repaired with black wood putty filler, are allowed



TEKA

Preciously unique in every piece

Eiche Schönbrunn
Oak Schönbrunn
13406 15 x 250 x 2200 mm
13357 15 x 250 x 1800 mm

4

CO
COUNTRY

TEKA

Preciously unique in every piece

Eiche Versailles
Oak Versailles
13371 15 x 250 x 2200 mm
13422 15 x 250 x 1800 mm

4

CO
COUNTRY

TEKA

Preciously unique in every piece

Eiche Windsor
Oak Windsor
13388 15 x 250 x 2200 mm
13409 15 x 250 x 1800 mm

TEKA
Preciously unique in every piece

Eiche Linderhof
Oak Linderhof
13359 15 x 250 x 2200 mm
13358 15 x 250 x 1800 mm

4 matt CO COUNTRY

Landscape

12949 Eiche Bretagne
Oak Bretagne

Weitere Produkteigenschaften:

- Brandschutzklasse Cfl-s1
- extrem verzugsarm
- robust
- vielseitig einsetzbar
- ideal für stark frequentierte Bereiche

More product features:

- fire rating Cfl-s1
- extremely low warpage
- hard-wearing
- versatile applications
- ideal for heavily frequented areas

Breite Landhausdielen

– für höchste Ansprüche!

Landhausdiele – Die Nutzschicht ist durchgehend aus Holz
Fertigparkett mit dreischichtigem Aufbau (Halbmassivdiele)
19mm Gesamtstärke
Nutzschicht (5,4mm nominal): Eiche aus PEFC zertifizierten deutschen oder französischen Wäldern,
Mittellage und Gegenzug: Hartholz

Landscape: 19x250x2200/1800mm

Nut & Federverbindung

Alle Dielen sind umlaufend gefast

Verlegearten:

Schimmend

Verklebt mit dem Unterboden

Verschraubt

Vernagelt

Fußbodenheizung geeignet

Oberflächen:

Roh: unbehandelt

Geölt: oxidativ

Masteröl

Geräuchert: Durchgängig geräucherte, mittel- bis dunkelbraune Deckschicht mit hellerem Splintholz

Wärme-behandelt: Mittel- bis dunkelbraune Deckschicht mit hellerem Splintholz

Gebürstet: Für mehr Tiefenwirkung

Antique:* Handgehobelte Oberfläche mit individuellen und natürlich wirkenden Alterungsspuren

Gekälkt: Holzstruktur wird in weiß hervorgehoben

Sortierungen:

Country: Lebhaft - Farbvarianzen, Splintholz, große Äste und Risse, mit schwarzem Holzkitt repariert, sind erlaubt

Alle Landscape Böden von TEKA Parkett sind bauaufsichtlich zugelassen.

Wide Plank Flooring

– for highest demands!

Plank flooring – the top layer consists of one piece of wood
Three-layer construction (semi-solid plank)
19mm total thickness
Top layer (5,4mm nominal): oak from PEFC certified German or French forests
Middle- and back layer: hardwood

Landscape: 19x250x2200/1800mm

Tongue & groove construction

Bevelled edges on all four sides of the plank

Installation possibilities:

Floating

Glue down

Screwed

Nailed

Suitable for underfloor heating

Top layer finishes:

Raw: untreated

Oiled: oxidative

Masteroil

Fumed: top layer fumed through and through, changing from medium to dark brown with lighter sapwood

Thermo treated: medium to dark bronw top layer with lighter sapwood

Brushed: for more depth effect

Antique:* manually distressed top layer with individual and natural looking signs of age

White washed: white accentuates the wood structure

Wood grading:

Country: lively - sapwood, knots and cracks, also repaired with black wood putty filler, are allowed

The Landscape collection from TEKA Parquet is free from hazardous substances and environmentally friendly.



TEKA

Preciously unique in every piece

Eiche Cornwall
Oak Cornwall
12941 19x 250 x 2200 mm
12940 19x 250 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Provence
Oak Provence
12945 19x 250 x 2200 mm
12944 19x 250 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Bretagne
Oak Bretagne
12949 19x 250 x 2200 mm
12948 19x 250 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Champagne
Oak Champagne
12957 19x 250 x 2200 mm
12956 19x 250 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Piemont
Oak Piemont
13483 19x 250 x 2200 mm
13482 19x 250 x 1800 mm

TEKA
Preciously unique in every piece

Eiche Veneto
Oak Veneto
12965 19x 250 x 2200 mm
12964 19x 250 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Savoy
Oak Savoy
13018 19x 250 x 2200 mm
13017 19x 250 x 1800 mm

TEKA

Preciously unique in every piece

Eiche Bourgogne
Oak Bourgogne
13121 19x 250 x 2200 mm
13122 19x 250 x 1800 mm

Eiche
Oak

Breite Landhausdielen

– Massiver Klang in drei Schichten

Die Nutzschicht ist durchgehend aus Holz, die Diele ist extra lang und extra breit
Fertigparkett mit dreischichtigem Aufbau (Halbmassivdiele)
19mm Gesamtstärke
Nutzschicht (5,4mm nominal),

Trinity: 19x250/300/350x3500 mm
19x250/300/350x4000 mm
19x250/300/350x4500 mm

Nut & Federverbindung

Alle Dielen sind umlaufend gefast

Verlegearten:

Verklebt mit dem Unterboden

Verschraubt

Vernagelt

Fußbodenheizung geeignet

Oberflächen:

Roh: unbehandelt

Gebürstet: Für mehr Tiefenwirkung

Antique:* Handgehobelte Oberfläche mit individuellen und natürlich wirkenden Alterungsspuren

Sortierungen:

Country: Lebhaft - Farbvarianzen, Splintholz, große Äste und Risse, mit Holzkitt repariert, sind erlaubt

Alle Trinity Dielen von TEKA Parkett sind bauaufsichtlich zugelassen.

Wide Plank Flooring

– solid sound in three layers

Plank flooring - the top layer consists of one piece of wood, the plank is extra large and extra wide
Three-layer construction (semi-solid plank)
19mm total thickness
Top layer (5,4mm nominal),

Trinity: 19x250/300/350x3500 mm
19x250/300/350x4000 mm
19x250/300/350x4500 mm

Tongue & groove construction

Bevelled edges on all four sides of the plank

Installation possibilities:

Glue down

Screwed

Nailed

Suitable for underfloor heating

Top layer finishes:

Raw: untreated

Brushed: for more depth effect

Antique:* Manually distressed top layer with individual and naturally looking signs of age

Wood grading:

Country: lively - sapwood, knots und cracks, also repaired with wood putty filler, are allowed

The Trinity collection from TEKA Parquet is free from hazardous substances and environmentally friendly.

Weitere Produkteigenschaften:

- Brandschutzklasse Cfl-s1
- extrem verzugsarm
- robust
- Gestaltung nach eigenen Wünschen
- vielseitig einsetzbar
- ideal für stark frequentierte Bereiche

More product features:

- fire rating Cfl-s1
- extremely low warpage
- hard-wearing
- finish according to own wishes
- versatile applications
- ideal for heavily frequented areas

*Antique Trinity

124 Trinity

Eiche Antique*
Oak Antique*

19x250/300/350x3500/4000/4500mm

Eiche
Oak

Trinity
– Landhausdielen der Extraklasse

Trinity ist die edle Schlossdielenkollektion von TEKA Parkett. Die Dielen sind, dank der dreischichtigen Eichenkonstruktion, vezugsarm, extrem robust und belastbar. Trinity bietet eine große Auswahl an Maßen und Oberflächen und ist die ideale Wahl für große Räume. Vielseitig einsetzbar, bietet die Kollektion handgehobelte (Antique*) oder glatte Dielen an, die unbehandelt geliefert werden, um die Oberflächenveredelung nach eigenen Vorstellungen umsetzen zu können.

Trinity Antique*

Abmessungen:
19x250x3500mm
19x300x3500mm
19x350x3500mm

19x250x4000mm
19x300x4000mm
19x350x4000mm

19x250x4500mm
19x300x4500mm
19x350x4500mm

Trinity gebürstet

19x250x3500mm
19x300x3500mm
19x350x3500mm

19x250x4000mm
19x300x4000mm
19x350x4000mm

19x250x4500mm
19x300x4500mm
19x350x4500mm

Trinity
– plank floorings at their best!

Trinity is the classy castle board collection from TEKA Parquet. The boards are extremely stable and hard wearing due to the three layer oak construction. Trinity offers a wide choice of sizes and surfaces and is ideal for large rooms. The collection is versatile and offers manually distressed (Antique*) or smooth planks, which will be delivered untreated so that the surface finish can be realized according to own ideas.

Trinity Antique*

Dimensions:
19x250x3500mm
19x300x3500mm
19x350x3500mm

19x250x4000mm
19x300x4000mm
19x350x4000mm

19x250x4500mm
19x300x4500mm
19x350x4500mm

Trinity brushed

19x250x3500mm
19x300x3500mm
19x350x3500mm

19x250x4000mm
19x300x4000mm
19x350x4000mm

19x250x4500mm
19x300x4500mm
19x350x4500mm





Wandverkleidung

Das hochwertige Parkettsortiment von TEKA wird nun durch wunderschöne Echtholzwandverkleidungen in verschiedenen Farbtönen ergänzt. Einfach aus den fünf Möglichkeiten wählen, die Paneele anbringen und sich an der im neuen Glanz erstrahlenden Wand erfreuen.
Ganz einfach zu realisieren mit TEKA!

Wall Pannels

The new wall covering programm from TEKA Parquet is a reasonable supplement to the existing premium engineered wood flooring assortment. Choose out of five possibilities, fix the panels to the wall and enjoy the new appearance of your room.
Easily to realize with TEKA!

20000 Eiche Silverado, Masteröl
Abmessung: 22x450x450mm

Oak Silverado, Masteroil
Size: 22x450x450mm

TEKA
Preciously unique in every piece

20001 **Eiche Denver,** unbehandelt
Abmessung: 22x450x450mm

Oak Denver, untreated
Size: 22x450x450mm

20002 **Eiche Madrid,** unbehandelt
Abmessung: 25x240x1100mm

Oak Madrid, untreated
Size: 25x240x1100mm

TEKA
Preciously unique in every piece
20003 Eiche London, Masteröl
Abmessung: 25x240x1100mm
Oak London, Masteroil
Size: 25x240x1100mm

20004 **Eiche Saint Tropez,** geräuchert, carbonisiert, graues Masteröl
Abmessung: 25x240x1100mm

Oak Saint Tropez, fumed, carbonized, grey Masteroil
Size: 25x240x1100mm

20005 **Eiche Waikiki,** Masteröl
Abmessung: 25x240x1100mm
Oak Waikiki, Masteroil
Size: 25x240x1100mm

Händleradresse / Dealer contact

TEKA

Preciously unique in every piece

PlyQuet Holzimport GmbH • Tel.: +49 (0) 421 / 34 888-0 • E-Mail: info@plyquet.de
PlyQuet of America Inc. • Sales: +1 949 500 6920 • E-Mail: info@tekafloors.com
www.plyquet.com www.tekahardwoodflooring.com

01/20 www.ralfbauer-fotodesign.com